



Risk Assessment - Château d'Ebbingham

Excursion Risk Management

Excursions

Nausicaa
La Coupole
Chocolaterie
Small Towns

Inherent Risk Present						Control Measures In Place					
Drowning	Falling	Entrapment Entanglement	Getting Lost	Hypothermia	Specific Other	Swimming Ability Check	Instructor Competence (see note 1)	Standard Procedures	Activity on PGL Site	Protective Equipment	First Aid Cover
no	no	no	yes	no	Public			✓			
no	no	no	yes	no	Public			✓			
no	no	no	yes	no	Public			✓			
no	no	no	yes	no	Public			✓			

Risk Assessment Summary

Nausicaa
La Coupole
Chocolaterie
Small Towns

Activities		
Residual Risk Level (low, med or high)	Residual Risk Explanation	Specific Control Measure
low	Off site visits are subject to ongoing risk assessment	
low		
low		
low		

PGL Travel Ltd, Alton Court, Penyard Lane, Ross-on-Wye, Herefordshire, HR9 5GL

t 0333 321 2127 f 0333 321 2128 email enquiries@pgl.co.uk www.pgl.co.uk



ABTA No. V2683



Risk Assessment - Château d'Ebbingham

Fire

Certificate held?

Conforms to local regulations and inspected by the Commission de Sécurité.

Fire Officers advice sought and implemented?

Yes.

Night security patrol.

No.

Security

Rooms lockable?

Yes.

External doors locked at night?

Yes. (see note 1)

Identification

Every adult to wear identity pass at all times?

Yes. (see note 1)

Lighting

Control measures ensure adequate lighting of all walkways after dark?

Yes.

Slips & Trips

Are there any specific hazards identified in the risk assessment programme ? If so, detail.

Utility Integrity

Are all utility installations subject to inspection?

Yes, via local authorities.

Traffic Hazards

Are there any specific Traffic Hazards noted in the risk assessment programme? If so, detail.

Access to centre main entrance, guests warned, staff monitor, low risk. Care taken with right-hand drive traffic. (see note 1)

Restricted Areas

Are the out-of-bounds areas appropriately identified? If so, detail.

Centre boundaries are clearly defined. (see note 1)

Transport

Are there any integral transport issues evident from the risk assessment programme?

Group collection points for excursions, low risk due to staff control.

Fire Procedures

Insert detail of fire drill procedure.

Complete evacuation every seven days, each new intake has a walk through explanation. (see note 1)

Emergency Procedures

Is there an emergency action plan in place, that has been rehearsed?

Yes.

Note 1

An introductory site tour highlights all relevant hazards to the guests. These hazards are constantly monitored while guests are on site. As a result of this control measure, the risk level is low in all areas noted.